

 **Hero**



STYLE
THAT TURNS HEADS
TECH THAT KEEPS YOU AHEAD

— THE ALL NEW —
MAESTRO
EDGE

POWERED BY



SMART SENSOR TECHNOLOGY



Scan the QR code to
experience the new Hero Maestro Edge 110

BS6

STATE-OF-THE-ART TECHNOLOGY



XSENS TECHNOLOGY
WITH PGM FI



SERVICE REMINDER



DIGITAL ANALOG
COMBO METER

AMAZING FEATURES



TELESCOPIC FRONT
SUSPENSION



EXTERNAL
FUEL FILLING



MOBILE CHARGING
PORT & BOOT LIGHT



COMBINATION LOCK

COOL DESIGN



NEW EDGY
GRAPHICS



DIAMOND CUT
ALLOY WHEELS



LED TAIL LAMP

ADVANCED SAFETY



SIDE STAND
INDICATOR



INTEGRATED
BRAKING SYSTEM



ALWAYS
ON HEADLAMP

FULLY LOADED



It's a sporty thing – Hero Maestro Edge 110 is our coolest scooter with BS6 emission compliance. It dominates its contemporaries with XSens Technology, which gives you a smoother riding experience. That's not all. The beautifully designed Maestro has new edgy graphics to keep you ahead in style, so that you feel like a true Hero on the road.



— THE ALL NEW —
MAESTRO
EDGE

POWERED BY



SMART SENSOR TECHNOLOGY

that automatically adjusts vehicle performance depending on riding conditions

BETTER PICK-UP



via Vehicle Speed Sensor

BETTER FUEL ECONOMY



via Oxygen Sensor

ENHANCED DURABILITY & SAFETY



via Bank Angle Sensor

SMOOTHER RIDE



via Crank Position Sensor

IMPROVED ENGINE LIFE



via Engine Oil Temperature Sensor

BETTER UPHILL CLIMB



via Manifold Air Pressure Sensor

IMPROVED RIDER SAFETY



via Side Stand Sensor

ALL WEATHER EASY START



via Air Inlet Temperature Sensor

TORQUE ON DEMAND



via Throttle Position Sensor

SPECIFICATIONS

ENGINE

Type	Air Cooled, 4-Stroke, SI Engine
Displacement	110.9cc
Max Power	6 kW (8 bhp) @ 7250 Revolution Per Minute (rpm)
Max Torque	8.75 Nm @ 5750 Revolution Per Minute (rpm)
Fuel System	Fuel Injection (FI)
Starting	Self-Start / Kick-Start
Ignition	Electronic Control Unit (ECU)

TRANSMISSION

Clutch	Dry, Centrifugal
Gear Box	Variomatic Drive

SUSPENSION

Front	Telescopic Hydraulic Shock Absorber
Rear	Unit Swing with Spring Loaded Hydraulic Damper

TYRES

Front Tyre	90/90-12 54J
Rear Tyre	90/100-10 53J

DIMENSIONS

Length x Width x Height	1843 mm x 715 mm x 1188 mm
Wheelbase	1261 mm
Seat Height	775 mm
Ground Clearance	155 mm

ELECTRICALS

Battery	12 V - 4 Ah ETZ5 MF Battery
Tail Lamp	12 V - 0.4/1.6 W 8 nos. (LED)
Head Lamp	12 V - 35/35 W Halogen Bulb MFR

WEIGHT

Kerb Weight	112 kg
Maximum Payload	130 kg
Fuel Tank Capacity	5 Litres

OPTIONAL ACCESSORIES

Side Stand | Side Stand Switch | Glove Box | Step Saree Kit

COLOURS AVAILABLE



Midnight Blue **New**



Seal Silver **New**



Candy Blazing Red



Pearl Fadeless White



Panther Black



Techno Blue



Regd. Office: Hero MotoCorp Ltd.,
The Grand Plaza, Plot No.2, Nelson Mandela Road, Vasant
Kunj - Phase -II, New Delhi - 110070, India.
CIN: L35911DL1984PLC017354



*Conditions apply.

Authorised Outlet

It is our endeavour to constantly improve our products. This could lead to changes in product specifications without notice. Accessories and features shown may not be a part of standard fitment. Always wear a helmet while riding a two wheeler. For further information, contact nearest Hero MotoCorp authorised outlet (s) or call Toll Free No. 1800-266-0018 or visit website www.heromotocorp.com.